NO. 63093

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office_	MAY 09 1997
Returned to applicant for correction	e transfer and the second
Corrected application filed	
Map filed	MAY 09 1997

The applicant Union Pacific Railroad Company, a Utah Corporation, hereby make application for permission to change the point of diversion, manner of use, and place of use of a portion of water heretofore appropriated under Permit 15140, Certificate 4880

- 1. The source of water is underground
- 2. The amount of water to be changed 0.719 c.f.s., 200.96 acre-feet annually
- 3. The water to be used for commercial (irrigation of golf course)
- 4. The water heretofore permitted for railroad and domestic
- 5. The water is to be diverted at the following point within NE1 NE1 Section 31, Township 20 South, Range 60 East, M.D.B.&M., Clark County, Nevada, and at a point from which the northeast corner of said Section 31 bears North 8°00'10" East, a distance of 1297.51 feet.
- 6. The existing permitted point of diversion is located within SW1 NW1, Section 34, Township 20 South, Range 61 East, M.D.B.&M., Clark County, Nevada, at a point from which the southwest corner of said Section 34 bears South 0°41'21" West, a distance of 3588.35'.
- 7. Proposed place of use is in a portion of NE $\frac{1}{4}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ NB $\frac{1}{4}$, and NW $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 32, and SE $\frac{1}{4}$, and S $\frac{1}{4}$ NE $\frac{1}{4}$ Section 29, all within Township 20 South, Range 60 East, M.D.B.&M., Clark County, Nevada.
- 8. Existing place of use Portion of N_2 NW_4 , SW_4 NW_4 , and NW_4 SW_4 of Section 34, and E_2 NE_4 , and NE_4 SE_4 of Section 33, all within Township 20 South, Range 61 East, M.D.B.&M., Clark County, Nevada.
- 9. Use will be from January 1 to December 31 of each year.
- 10. Use was permitted from January 1 to December 31 of each year.
- 11. Description of proposed works Water will be diverted by means of drilled well, pumping equipment, and appurenant piping to a point on the Angel Park golf facility.
- 12. Estimated cost of works \$500,000.00
- 13. Estimated time required to construct works 3 years
- 14. Estimated time required to complete the application of water to beneficial use 5 years
- 15. Remarks: Water to be used on Angel Park golf facilities for turf irrigation and other golf course related uses.

By UNION PACIFIC RAILROAD COMPANY s/illegible 1416 Dodge Street, Room 1100 Omaha, Nebraska 68179-1100

Compared c1/jr		
	•	
Protested	4 - W/10	